

District of Columbia NCPDP D.0 Payer Specifications – Medicaid

October 10, 2022

****Start of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet****

General Information

Payer Name: Prime Therapeutics State Government Solutions LLC		
Plan Name/Group Name: DCMedicaid	BIN: 018407	PCN: DCMC018407
Processor: Prime Therapeutics State Government Solutions LLC (A division of Prime Therapeutics Management LLC)		
Effective as of: 1/1/2018	NCPDP Telecommunication Standard Version/Release #: D.0	
NCPDP Data Dictionary Version Date: October 2014	NCPDP External Code List Version Date: October 2014	
Contact/Information Source: Other references such as Provider Manuals, Payer phone number, website, etc.		
Certification Testing Window: TBD		
Certification Contact Information: TBD		
Provider Relations Help Desk Info: 800-272-9679		
Other versions supported: N/A		

Other Transactions Supported

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Claim Billing
B2	Claim Reversal
B3	Claim Re-Bill

Field Legend for Columns

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of “Required” for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	“Required when.” The situations designated have qualifications for usage (“Required if x”, “Not required if y”).	Yes

Fields that are not used in the Claim Billing/Claim Re-Bill transactions and those that do not have qualified requirements (i.e., not used) for this payer are excluded from the template.

Claim Billing/Claim Re-Bill Transaction

The following lists the segments and fields in a Claim Billing or Claim Re-Bill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued	X	

Transaction Header Segment		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	018407	M	
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE		M	
104-A4	PROCESSOR CONTROL NUMBER	DCMC018407	M	
109-A9	TRANSACTION COUNT		M	One transaction for B2 or compound claim; Four allowed for B1 or B3

Transaction Header Segment		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	Service Provider ID		M	
401-D1	Date of Service		M	
110-AK	Software Vendor/Certification ID	This will be provided by the provider's software vendor	M	Required when vendor certification is required by Prime Therapeutics State Government Solutions LLC – otherwise submit all zeroes

Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "04"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
301-C1	GROUP ID	DCMEDICAID	R	
312-CC	CARDHOLDER FIRST NAME		R	
313-CD	CARDHOLDER LAST NAME		R	

Patient Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	X	

Patient Segment Segment Identification (111-AM) = "01"		Claim Billing/Claim Re-Bill		
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	

Patient Segment Segment Identification (111-AM) = "Ø1"		Claim Billing/Claim Re-Bill		
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø5-C5	PATIENT GENDER CODE	• Ø = Not Specified • 1 = Male • 2 = Female	R	
31Ø-CA	PATIENT FIRST NAME		R	
311-CB	PATIENT LAST NAME		R	
3Ø7-C7	PLACE OF SERVICE		RW	Required if this field could result in different coverage, pricing, or patient financial responsibility.
335-2C	PREGNANCY INDICATOR	• Blank = Not Specified • 1 = Not Pregnant • 2 = Pregnant	RW	Required if the patient is known to be pregnant
384-4X	PATIENT RESIDENCE	• 2 = Skilled Nursing Facility. • 3 = Nursing Facility	RW	Required if this field could result in different coverage, pricing, or patient financial responsibility.

Claim Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills	X	

Claim Segment Segment Identification (111-AM) = "Ø7"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/ SERVICE REFERENCE NUMBER QUALIFIER		M	For Transaction Code of "B1," in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER		M	

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
436-E1	PRODUCT/SERVICE ID QUALIFIER	• ØØ = Not specified • Ø3 = National Drug Code (NDC)	M	• ØØ must be submitted for compounds • 03 for non compound claims
4Ø7-D7	PRODUCT/SERVICE ID	• NDC for non-compound claims • “Ø” for compound claims	M	“Ø” for compound claims
442-E7	QUANTITY DISPENSED		R	
460-ET	QUANTITY PRESCRIBED		RW	<i>Imp Guide</i> : Required when a transmission is for a Scheduled II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 09/21/2020. Refer to the <i>Version D.0 Editorial Document</i>).
4Ø3-D3	FILL NUMBER	• Ø = Original dispensing • 1–11 = Refill number – Number of the replenishment	R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	• 1 = Not a Compound • 2 = Compound	R	

Claim Segment Segment Identification (111-AM) = "Ø7"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	• Ø = No Product Selection Indicated • 1 = Substitution Not Allowed by Prescriber • 5 = Substitution Allowed-Brand dispensed as Generic • 6 = Preferred Brand • 8 = Substitution allowed – Generic drug not available in marketplace • 9 = Preferred Brand NCPDP prefers this value be used.	R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED	• Ø = No refills authorized • 1–99 = Authorized Refill number	R	
419-DJ	PRESCRIPTION ORIGIN CODE	• 1 = Written • 2 = Telephone • 3 = Electronic • 4 = Facsimile • 5 = Pharmacy	R	• Required for the Tamper Proof Resistant Pad Legislation • Ø is no longer allowed for submission
354-NX	SUBMISSION CLARIFICATION CODE COUNT		RW	Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	• 8 = Process Compound for Approved Ingredients • 2Ø = 34ØB. Indicates that, prior to providing service, the pharmacy has determined the	RW	Required for 34ØB claims – must submit 2Ø. NEW!

Claim Segment Segment Identification (111-AM) = "Ø7"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		product being billed is purchased pursuant to rights available under Section 34ØB of the Public Health Act of 1992 including sub-ceiling purchases authorized by Section 34ØB (a)(1Ø) and those made through the Prime Vendor Program (Section 34ØB(a)(8)).		
3Ø8-C8	OTHER COVERAGE CODE	• Ø = Not Specified by patient • 1 = No Other Coverage • 2 = Other coverage exists-payment collected • 3 = Other Coverage Billed - claim not covered • 4 = Other coverage exists-payment not collected	RW	Required when submitting a claim for recipient who has other coverage
6ØØ-28	UNIT OF MEASURE	• Values: • EA = Each • GM = Grams • ML = Milliliters	R	Required
418-DI	LEVEL OF SERVICE	• Values: • ØØ = Not specified • Ø 3 = Emergency	RW	Use for emergency 3 day fill
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	4 = Exemption from Copay and/or Coinsurance

Claim Segment Segment Identification (111-AM) = "Ø7"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	
357-NV	DELAY REASON CODE		RW	Required when needed to specify the reason that submission of the transaction has been delayed.
995-E2	ROUTE OF ADMINISTRATION	SNOMED CT Values	RW	Payer Requirement Required when submitting compound claims
996-G1	COMPOUND TYPE	• Ø1 = Anti-infective • Ø2 = Ionotropic • Ø3 = Chemotherapy • Ø4 = Pain management • Ø5 = TPN/PPN (Hepatic, Renal, Pediatric) Total Parenteral Nutrition/ Peripheral Parenteral Nutrition • Ø6 = Hydration • Ø7 = Ophthalmic • 99 = Other	RW	Required if specified in trading partner agreement.
147-U7	PHARMACY SERVICE TYPE	• 1 = Community/ Retail Pharmacy Services • 2 = Compounding Pharmacy Services • 3 = Home Infusion Therapy Provider Services • 5 = Long-Term Care Pharmacy Services • 8 = Specialty Care Pharmacy Services	RW	Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer.
Pricing Segment Questions		Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation	
This Segment is always sent		X		

Pricing Segment Segment Identification (111-AM) = "11"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	For 340B claims, submit actual acquisition cost.
412-DC	DISPENSING FEE SUBMITTED		RW	Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	NOT REQUIRED; DO NOT SEND
426-DQ	USUAL AND CUSTOMARY CHARGE		R	
430-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION	08 = 340B Disproportionate Share Pricing	RW	Required for 340B claims - must submit 08. NEW!

Pharmacy Provider Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only if law or regulation required.

Prescriber Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent	X	

Prescriber Segment Segment Identification (111-AM) = "03"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	01 = NPI	R	
411-DB	PRESCRIBER ID	Prescriber's individual NPI	R	Must submit valid NPI

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	- Required only for secondary, tertiary, etc., claims. - It is used when a receiver needs payment information from other receivers to perform claim/encounter determination. This may be in the case of primary, secondary, tertiary etc., health plan coverage for example. - The Coordination of Benefits/Other Payments Segment is mandatory for a Claim Billing or Encounter request to a downstream payer. It is used to assist a downstream payer to uniquely identify a claim or encounter in case of duplicate processing.
Scenario 3 – Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	OCC codes 0, 1, 2, 3, and 4 Supported (no co-pay only billing allowed)

Coordination of Benefits/Other Payments Segment Identification (111-AM) = “Ø5”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9	M	
338-5C	Other Payer Coverage Type		M	
339-6C	OTHER PAYER ID QUALIFIER	03 = BIN 99 = Other	RW	Required if Other Payer ID (Field # 34Ø-7C) is used
34Ø-7C	OTHER PAYER ID		RW	Required if COB segment is used
443-E8	OTHER PAYER DATE		RW	Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	Required if Other Payer Amount Paid Qualifier (342-HC) is used.
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER	Values: Ø7 = Drug Benefit	RW	Required when there is payment from another source. Required on all COB claims with Other Coverage Code of 2 "Ø7" is the only accepted value.
431-DV	OTHER PAYER AMOUNT PAID		RW	Required if other payer has approved payment for some/all of the billing.
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW***	Required on all COB claims with Other Coverage Code of 3.
472-6E	OTHER PAYER REJECT CODE		RW	Required on all COB claims with Other Coverage Code of 3
353-NR	OTHER PAYER – PATIENT RESPONSIBILITY AMOUNT COUNT		R	Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	Ø6 = Patient Pay Amount (5Ø5-F5)	R	Required if Other Payer-Patient Responsibility Amount (352-NQ) is used
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		R	Required OCC = 2 or 4
392-MU	BENEFIT STAGE COUNT	Maximum count of 4	RW	
393-MV	BENEFIT STAGE QUALIFIER		RW	
394-MW	BENEFIT STAGE AMOUNT		RW	
DUR/PPS Segment Questions		Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation	
This Segment is always sent				

This Segment is situational		X	Submitted if required to affect outcome of claim related to DUR intervention.	
DUR/PPS Segment Segment Identification (111-AM) = “Ø8”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	RW***	Required if DUR/PPS Segment is used.
439-E4	REASON FOR SERVICE CODE	Allowed values: • DD = Drug-Drug Interaction • ER = Early Refill • TD = Therapeutic Duplication	RW***	• Required when there is a conflict to resolve or reason for service to be explained (Max 9) • Code identifying the type of utilization conflict detected or the reason for the pharmacist’s professional service. Required when needed to communicate DUR information
44Ø-E5	PROFESSIONAL SERVICE CODE	Allowed values: • MØ = Prescriber consulted • PØ = Patient consulted • RØ = Pharmacist consulted other source	RW***	• Required when there is a professional service to be identified (Max 9) • Code identifying pharmacist intervention when a conflict code has been identified or service has been rendered.
441-E6	RESULT OF SERVICE CODE	Allowed values: • 1A = Filled As Is, False Positive • 1B = Filled Prescription As Is • 1C = Filled, With Different Dose • 1D = Filled, With Different Directions • 1F = Filled, With Different Quantity	RW***	• Required when there is a result of service to be submitted (Max 9) • Action taken by a pharmacist in response to a conflict or the result of a pharmacist’s professional service

DUR/PPS Segment Segment Identification (111-AM) = “Ø8”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		1G = Filled, With Prescriber Approval 2A = Prescription not filled 2B = Not filled, directions clarified		

Compound Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Submitted if the claim dispensed is a compound.

Compound Segment Segment Identification (111-AM) = “1Ø”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT		M	Maximum 25 ingredients
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3 = National Drug Code (NDC) – Formatted 11 digits (N)	M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		R	

Compound Segment Segment Identification (111-AM) = “1Ø”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION	Values: • ØØ = Default • Ø1 = AWP • Ø2 = Local Wholesaler • Ø3 = Direct • Ø4 = EAC (Estimated Acquisition Cost) • Ø5 = Acquisition • Ø6 = MAC (Maximum Allowable Cost) • Ø7 = Usual & Customary • Ø8 = 34ØB/ Disproportionate Share Pricing • Ø9 = Other • 1Ø = ASP (Average Sales Price) • 11 = AMP (Average Manufacturer Price) • 12 = WAC (Wholesale Acquisition Cost) • 13 = Special Patient Pricing	RW	

Clinical Segment Questions	Check	Claim Billing/Claim Re-Bill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Submitted if the clinical detail will affect the outcome of claims processing.

Clinical Segment Segment Identification (111-AM) = “13”		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	Maximum count of 5	RW	Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used.
492-WE	DIAGNOSIS CODE QUALIFIER		RW***	Required if Diagnosis Code (424-DO) is used.

Clinical Segment Segment Identification (111-AM) = "13"		Claim Billing/Claim Re-Bill		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
424-DO	DIAGNOSIS CODE		RW***	- Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. - Required if necessary for state/federal/regulatory agency programs.
End of Request Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet				

Response Claim Billing/Claim Re-Bill Payer Sheet

Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) Response

****Start of Response Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet****

General Information

Payer Name: Prime Therapeutics State Government Solutions LLC		
Plan Name/Group Name: DCMedicaid	BIN: 018407	PCN: DCMC018407

Claim Billing/Claim Re-Bill PAID (or Duplicate of PAID) Response

The following lists the segments and fields in a Claim Billing or Claim Re-Bill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions		Check		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent				
This Segment is situational		X		<i>Sent if additional information is available from the payer/processor.</i>
Response Message Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.
Response Insurance Segment Questions		Check		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		X		
This Segment is situational				
Response Insurance Segment Identification (111-AM) = "25"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		RW	- Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. - Required to identify the actual group that was used when multiple group coverages exist.
Response Patient Segment Questions		Check		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		X		
This Segment is situational				

Response Patient Segment Segment Identification (111-AM) = "29"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	Required if known.
311-CB	PATIENT LAST NAME		RW	Required if known.
304-C4	DATE OF BIRTH		RW	Required if known.

Response Status Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	- P = Paid - D = Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	Required if Approved Message Code (548-6F) is used.
548-6F	APPROVED MESSAGE CODE		RW	Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B1,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Pricing Segment Segment Identification (111-AM) = "23"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		RW	Required if this value is used to arrive at the final reimbursement.
557-AV	TAX EXEMPT INDICATOR		RW	Required if the sender (health plan) and/or patient is tax exempt and exemption applies to this billing.
558-AW	FLAT SALES TAX AMOUNT PAID		RW	Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	- Required if this value is used to arrive at the final reimbursement. - Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø). - Required if Percentage Sales Tax Rate Paid (560-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
560-AY	PERCENTAGE SALES TAX RATE PAID		RW	Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
521-FL	INCENTIVE AMOUNT PAID		RW	- Required if this value is used to arrive at the final reimbursement. - Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø).
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used.
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used.

Response Pricing Segment Segment Identification (111-AM) = "23"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
565-J4	OTHER AMOUNT PAID		RW	- Required if this value is used to arrive at the final reimbursement. - Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø).
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	- Required if this value is used to arrive at the final reimbursement. - Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
5Ø9-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	- Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø). - Required if Basis of Cost Determination (423-DN) is submitted on billing.
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	Required if Patient Pay Amount (5Ø5-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount.
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	Provided for informational purposes only.
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	Provided for informational purposes only.
514-FE	REMAINING BENEFIT AMOUNT		RW	Provided for informational purposes only.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	Required if Patient Pay Amount (5Ø5-F5) includes deductible
518-FI	AMOUNT OF COPAY		RW	Required if Patient Pay Amount (5Ø5-F5) includes co-pay as patient financial responsibility.
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum.

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
572-4U	AMOUNT OF COINSURANCE		RW	Required if Patient Pay Amount (505-F5) includes coinsurance as patient financial responsibility.
128-UC	SPENDING ACCOUNT AMOUNT REMAINING		RW	This dollar amount will be provided, if known, to the receiver when the transaction had spending account dollars reported as part of the patient pay amount.
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	Required when the patient meets the plan-funded assistance criteria, to reduce Patient Pay Amount (505-F5). The resulting Patient Pay Amount (505-F5) must be greater than or equal to zero.
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand drug.
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product.
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product.
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	Required when the patient's financial responsibility is due to the coverage gap.

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when DUR intervention is encountered during claim processing.

Response DUR/PPS Segment Identification (111-AM) = "24"		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL		RW	- Required if needed to supply additional information for the utilization conflict. - Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	- Required if needed to supply additional information for the utilization conflict. - Required if Previous Date Of Fill (530-FU) is used.
532-FW	DATABASE INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Required if needed to supply additional information for the utilization conflict.
570-NS	DUR ADDITIONAL TEXT		RW	Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		

This Segment is situational		X	Sent when Other Health Insurance (OHI) is encountered during claims processing.	
Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = “28”		Claim Billing/Claim Re-Bill Accepted/Paid (or Duplicate of Paid)		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	• Required if Other Payer ID (340-7C) is used.
340-7C	OTHER PAYER ID		RW	• Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	• Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	• Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		RW	• Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	• Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	• Required if needed to provide a support telephone number of the other payer to the receiver.
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	• Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.

Claim Billing/Claim Re-Bill Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Insurance Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Response Insurance Segment Segment Identification (111-AM) = “25”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		R	- Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. - Required to identify the actual group that was used when multiple group coverages exist.
302-C2	CARDHOLDER ID		RW	Required if the identification to be used in future transactions is different than what was submitted on the request.
Response Patient Segment Questions		Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent				
This Segment is situational		X	Sent when known by plan	
Response Patient Segment Segment Identification (111-AM) = “29”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	Required if known.
311-CB	PATIENT LAST NAME		RW	Required if known.
304-C4	DATE OF BIRTH		RW	Required if known.
Response Status Segment Questions		Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		
Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER			Required if needed to identify the transaction.

Response Status Segment Segment Identification (111-AM) = “21”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.
Response Claim Segment Questions		Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation	
This Segment is always sent		X		

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of “B1,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when DUR intervention is encountered during claim adjudication.

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	• Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	• Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	• Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	• Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL		RW	• Required if needed to supply additional information for the utilization conflict. • Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	• Required if needed to supply additional information for the utilization conflict. • Required if Previous Date Of Fill (530-FU) is used.
532-FW	DATABASE INDICATOR		RW	• Required if needed to supply additional information for the utilization conflict.

Response DUR/PPS Segment Segment Identification (111-AM) = “24”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
533-FX	OTHER PRESCRIBER INDICATOR		RW	• Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	• Required if needed to supply additional information for the utilization conflict.
570-NS	DUR ADDITIONAL TEXT		RW	• Required if needed to supply additional information for the utilization conflict.

Response Prior Authorization Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when claim adjudication outcome requires subsequent PA number for payment

Response Prior Authorization Segment Segment Identification (111-AM) = “26”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PY	PRIOR AUTHORIZATION NUMBER-ASSIGNED		RW	• Required when the receiver must submit this Prior Authorization Number in order to receive payment for the claim.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Re-Bill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent when Other Health Insurance (OHI) is encountered during claim processing.

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = “28”		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	

Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"		Claim Billing/Claim Re-Bill Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
339-6C	OTHER PAYER ID QUALIFIER		RW	Required if Other Payer ID (34Ø-7C) is used.
34Ø-7C	OTHER PAYER ID		RW	Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		RW	Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	Other Payer Help Desk Phone Number		RW	Required if needed to provide a support telephone number of the other payer to the receiver.
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.

Claim Billing/Claim Re-Bill Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = "20"		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Re-Bill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Identification (111-AM) = "21"		Claim Billing/Claim Re-Bill Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.

****End of Response Claim Billing/Claim Re-Bill (B1/B3) Payer Sheet****

NCPDP Version D.0 Claim Reversal

Request Claim Reversal Payer Sheet

****Start of Request Claim Reversal (B2) Payer Sheet****

General Information

Payer Name: Prime Therapeutics State Government Solutions LLC		
Client Name: DCMedicaid	BIN: 018407	PCN: DCMC018407

Claim Reversal Transaction

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued	X	

Transaction Header Segment		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	018407	M	
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
104-A4	PROCESSOR CONTROL NUMBER	DCMC018407	M	
109-A9	TRANSACTION COUNT	1 = One Occurance	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	01-NPI	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE		M	

Transaction Header Segment		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	This will be provided by the provider's software vendor	M	If no number is supplied, populate with zeros

Insurance Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Insurance Segment Segment Identification (111-AM) = "04"		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
301-C1	GROUP ID		RW	• Required if needed to match the reversal to the original billing transaction.
306-C6	PATIENT RELATIONSHIP CODE	1= Subscriber	R	

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

Claim Segment Segment Identification (111-AM) = "07"		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
407-D7	PRODUCT/SERVICE ID		M	

Claim Segment Segment Identification (111-AM) = “Ø7”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø3-D3	FILL NUMBER	Ø = Original Dispensing 1-99 = Number of refills	R	Required if needed for reversals when multiple fills of the same Prescription/Service Reference Number (4Ø2-D2) occur on the same day.
3Ø8-C8	OTHER COVERAGE CODE	Ø = Not Specified 1 = No Other Coverage Identified 2 = Other coverage exists- payment collected 3 = Other coverage exists- this claim not covered 4 = Other coverage exists payment not collected	RW	Required if needed by receiver to match the claim that is being reversed.

Pricing Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Pricing Segment Segment Identification (111-AM) = “11”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	Required if this field could result in contractually agreed upon payment.
43Ø-DU	GROSS AMOUNT DUE		RW	Required if this field could result in contractually agreed upon payment.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	- Required only for secondary, tertiary, etc., claims. - It is used when a receiver needs payment information from other receivers to perform claim/encounter determination. This may be in the case of primary, secondary, tertiary etc., health plan coverage for example. - The Coordination of Benefits/Other Payments Segment is mandatory for a Claim Billing or Encounter request to a downstream payer. It is used to assist a downstream payer to uniquely identify a claim or encounter in case of duplicate processing.
Scenario 3 – Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	OCC codes 0, 1, 2, 3, and 4 Supported (no co-pay only billing allowed)

Coordination of Benefits/Other Payments Segment Identification (111-AM) = “Ø5”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9	M	
338-5C	Other Payer Coverage Type		M	
339-6C	OTHER PAYER ID QUALIFIER	03 = BIN 99 = Other	RW	Required if Other Payer ID (Field # 34Ø-7C) is used
34Ø-7C	OTHER PAYER ID		RW	Required if COB segment is used
443-E8	OTHER PAYER DATE		RW	Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	Required if Other Payer Amount Paid Qualifier (342-HC) is used.
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER	Values: Ø7 = Drug Benefit	RW	Required when there is payment from another source. Required on all COB claims with Other Coverage Code of 2 "Ø7" is the only accepted value.
431-DV	OTHER PAYER AMOUNT PAID		RW	Required if other payer has approved payment for some/all of the billing.
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW***	Required on all COB claims with Other Coverage Code of 3.
472-6E	OTHER PAYER REJECT CODE		RW	Required on all COB claims with Other Coverage Code of 3
353-NR	OTHER PAYER – PATIENT RESPONSIBILITY AMOUNT COUNT		R	Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	Ø6 = Patient Pay Amount (5Ø5-F5)	R	Required if Other Payer-Patient Responsibility Amount (352-NQ) is used
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		R	Required OCC = 2 or 4
392-MU	BENEFIT STAGE COUNT	Maximum count of 4	RW	
393-MV	BENEFIT STAGE QUALIFIER		RW	
394-MW	BENEFIT STAGE AMOUNT		RW	

****End of Request Claim Reversal (B2) Payer Sheet****

Response Claim Reversal Payer Sheet

Claim Reversal Accepted/Approved Response

****Start of Claim Reversal Response (B2) Payer Sheet****

General Information

Payer Name: Prime Therapeutics State Government Solutions LLC		
Plan Name/Group Name: DCMedicaid	BIN: 018407	PCN: DCMC018407

Claim Reversal Accepted/Approved Response

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1= National Provider Identifier (NPI)	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Provide general information when used for transmission-level messaging.

Response Message Segment Identification (111-AM) = “20”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	
503-F3	AUTHORIZATION NUMBER		RW	Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	Required if Approved Message Code (548-6F) is used.
548-6F	APPROVED MESSAGE CODE		RW	Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (55Ø-8F) is used.
55Ø-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	For Transaction Code of “B2”, in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Sent if reversal results in generation of pricing detail.

Response Pricing Segment Segment Identification (111-AM) = “23”		Claim Reversal – Accepted/Approved		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
521-FL	INCENTIVE AMOUNT PAID		RW	• Required if this field is reporting a contractually agreed upon payment.
509-F9	TOTAL AMOUNT PAID		RW	• Required if any other payment fields sent by the sender.

Claim Reversal Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI)	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Segment Identification (111-AM) = “20”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (550-8F) is used.

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
55Ø-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Claim Segment Segment Identification (111-AM) = “22”		Claim Reversal – Accepted/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	For Transaction Code of “B2,” in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is “1” (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Coordination of Benefits/Other Payments Segment Identification (111-AM) = “Ø5”		Claim Reversal		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	

Claim Reversal Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	1 = One Occurance	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier	M	
201-B1	SERVICE PROVIDER ID	NPI Number	M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = “2Ø”		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same as Imp Guide

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = “21”		Claim Reversal – Rejected/Rejected		
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	Required if needed to provide a support telephone number to the receiver.

****End of Claim Reversal (B2) Response Payer Sheet****

Revision History

Date	Name	Comments
12/19/2015	Implementation team	Initial creation
07/24/2020	Steven Giera	Added quantity prescribed field (# 460-ET) required for Schedule II drugs in Claim Segment Ø7
	Documentation Management team	Rebranded; reformatted; updated and standardized naming conventions; and added Revision History table
10/10/2022	Documentation Management team	Updated document to reference current company name.